



# DAV PUBLIC SCHOOL, CANTT. AREA, GAYA

(Managed By – DAV College Managing Committee, New Delhi – 55)

Phone No.: 0631 2224515 Email Id: davcanttarea@gmail.com

Ref. No.: DAVCNTGY/Painting/2024/313

Date: 26.09.2024

## **TENDER NOTICE FOR INTERNAL/EXTERNAL PAINTING OF SCHOOL**

Tender in closed and sealed envelop is invited from eligible firm for internal and external painting of the school building. The eligibility and other details are as follows:

### ***Eligibility & Other Information:***

- 1) The bidders Should be an Indian Firm engaged in civil work and Registered as per existing norms from Government Department.
- 2) They should have minimum three years of experience in the field and worked with Govt. Depts./PSUs/MNCs/etc.
- 3) They Should not have been blacklisted by the Departments/Ministries of the Govt. of India. Declaration to this effect is to be submitted.
- 4) For bidding, the firms are required to submit the following self-attested and duly rubber stamped (on each page) photocopies of the following documents relating to their printing press/firm:
  - (a) Registration Certificate as per existing norms from Government Department;
  - (b) Copy of GST Registration Certificates;
  - (c) Copy of latest GST return
  - (d) Copy of PAN Card;
  - (e) Declaration regarding blacklisting
- 5) The rates should be quoted in Indian Rupees (in both words and figures) only.
- 6) Tender in a **CLOSED & SEALED ENVELOPE** should be addressed to -

**THE PRINCIPAL**

**DAV PUBLIC SCHOOL**

**CANTT. AREA, GAYA (BIHAR)**

**PIN CODE – 823 004**

and must reach on or before **11.10.2024; 17:00 hrs.**

**NOTE: Tender in a closed and sealed enveloped must be sent through Registered Post/Courier or can be submitted by hand.**

- 7) In the event of failure on the part of work by the Bidder/Firm, the rest work may get completed from another firm and the previously engaged bidder/firm will have to reimburse the extra expenditure incurred thereafter.
- 8) Process of painting should be as per BOQ enclosed herewith
- 9) Payment against Bill / Invoice shall be released only after completion of the work to the satisfaction of the architect & competent committee. No interest will be payable on the delayed payments. Payment will be made directly to the firm through Multi – city cheque only. No request for other mode of payment will be entertained. **No advance payment will be made in any case.**
- 10) The Tenderer will be bound by the details furnished by him/her while submitting the tender or at subsequent stage. In case, any of such documents furnished by him/her is found to be fictitious at any stage, it would be deemed to be a breach of terms of contract making him/her liable for **legal action besides termination of the contract.**

- 11) No charges such as Octroi, packing, forwarding, freight insurance, loading and unloading, entry tax, demo, etc. will be allowed. All these are to be borne by the bidder only.
- 12) The Tenderer is not bound to accept the lowest bidder rather he/she is free to accept the bid on the basis of experience and technical viability.
- 13) This office has right to amend any T&C listed in the documents as per the changes notified by the Govt. and has right to add or delete any para for quality management of the work.

## BOQ OF PAINTING

### S K VERMA BLOCK OF DAV PUBLIC SCHOOL, CANTT. AREA, GAYA

		<b>GROUND FLOOR</b>			
		total ceiling painting area	4795	SQFT	
		total Wall area	10514	SQFT	
		window/doors area	619	SQFT	
		<b>FIRST FLOOR</b>			
		total ceiling painting area	4795	SQFT	
		total Wall area	10514	SQFT	
		window/doors area	619	SQFT	
		<b>SECOND FLOOR</b>			
		total ceiling painting area	4795	SQFT	
		total Wall area	10514	SQFT	
		window/doors area	619	SQFT	
		<b>THIRD FLOOR</b>			
		total ceiling painting area	4795	SQFT	
		total Wall area	10514	SQFT	
		window/doors area	619	SQFT	
		<b>STAIRCASE (G+3)</b>			
		Flight bottom	1112	SQFT	
		total internal Wall area	3112	SQFT	
		metal railing	264	SQFT	
		<b>EXPOSED BEAMS IN CEILING (ALL FLOORS)</b>			
		exposed beam bottom painting area in class and corridor	20920	SQFT	
		<b>MUMTY AND PARAPET</b>			
		total ceiling painting area	200	SQFT	
		total Wall area	920	SQFT	
		Parapet	2422	SQFT	
		window/doors area	58	SQFT	
		<b>EXTERIOR AND PLINTH</b>			
		total ceiling painting area (G+3+PLINTH)	17646	SQFT	
		Projections (columns and chajjas)	7408	SQFT	
		<b>TOTAL WALLAND CEILING AREA TO BE PAINTED</b>	71271	SQFT	
		<b>TOTAL EXTERNAL AREA TO BE PAINTED</b>	28396	SQFT	
		<b>TOTAL AREA TO BE PAINTED WITH ENAMEL</b>	2179	SQFT	

S.NO	S.O.R	DESCRIPTION	Qty.	Unit.	Rate	Amount
1		Removing white or colour wash by scrapping and sand paper in and preparing the surface smooth including necessary repair scratches etc. complete	9465	SQM		
		<b>INTERIOR PAINTING</b>				
		Area of interior painting in SQFT	69092	SQFT		
		Area of interior painting in SQM	6421	SQM		
2		Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade:				
		two or more coats	6421	Sq M		
		<b>EXTERIOR PAINTING OF BLOCK</b>				
		Area of Exterior painting in SQFT	26217	SQFT		
		Area of Exterior painting in SQM	2437	SQM		
3		Finishing walls with Acrylic Smooth exterior paint of required shade :				
		New work (Two or more coat applied @ 1.43 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) <u>(since the old work has completely faded and new painting has to be done as good as new)</u>	2437	SqM		
		<b>ENAMEL PAINTING</b>				
		Area of enamel painting in SQFT	4358	SQFT		
		Area of enamel painting in SQM	405	SQM		
4		Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel works.	405	SqM		
5		Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	405	SqM		
			<b>TOTAL</b>			

**GURU BIRIJANAND BLOCK OF DAV PUBLIC SCHOOL, CANTT. AREA, GAYA**

		<b>GROUND FLOOR</b>				
		total ceiling painting area	11405	SQFT		
		total Wall area	18888	SQFT		
		window/doors area	1188	SQFT		
		<b>FIRST FLOOR</b>				
		total ceiling painting area	11405	SQFT		
		total Wall area	18888	SQFT		
		window/doors area	1188	SQFT		
		corridor grill area	576	SQFT		
		<b>SECOND FLOOR</b>				
		total ceiling painting area	11405	SQFT		
		total Wall area	18888	SQFT		
		window/doors area	1188	SQFT		
		corridor grill area	576	SQFT		
		<b>THIRD FLOOR</b>				
		total ceiling painting area	11405	SQFT		
		total Wall area	18888	SQFT		
		window/doors area	1188	SQFT		
		corridor grill area	576	SQFT		
		<b>STAIRCASE</b>				
		Flight bottom	1920	SQFT		
		total inner Wall area	5760	SQFT		
		metal railing	864	SQFT		
		<b>EXPOSED BEAMS IN CEILING</b>				
		exposed beam bottom painting area in class and corridor	16800	SQFT		
		<b>MUMTY AND PARAPET</b>				
		total ceiling painting area	480	SQFT		
		total Wall area	1104	SQFT		
		Parapet	1992	SQFT		
		window/doors area	135	SQFT		
		<b>EXTERIOR AND PLINTH</b>				
		total painting area (G+3+PLINTH)	35328	SQFT		
		Projections (columns and chajjas)	15288	SQFT		
		<b>TOTAL WALLAND CEILING AREA TO BE PAINTED</b>	<b>146132</b>	<b>SQFT</b>		
		<b>TOTAL EXTERNAL AREA TO BE PAINTED</b>	<b>53712</b>	<b>SQFT</b>		
		<b>TOTAL AREA TO BE PAINTED WITH ENAMEL</b>	<b>5751</b>	<b>SQFT</b>		
		<b>TOTAL CORRIDOR GRILL PAINTED WITH ENAMEL</b>	<b>1728</b>	<b>SQFT</b>		

S.NO	S.O.R	DESCRIPTION	Qty.	Unit.	Rate	Amount
1		Removing white or colour wash by scrapping and sand paper in and preparing the surface smooth including necessary repair scratches etc. complete	19107	SQM		
		<b>INTERIOR PAINTING</b>				
		Area of interior painting in SQFT	140381	SQFT		
		Area of interior painting in SQM	13047	SQM		
2		Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade:				
		two or more coats	13047	Sq M		
		<b>EXTERIOR PAINTING OF BLOCK</b>				
		Area of Exterior painting in SQFT	47961	SQFT		
		Area of Exterior painting in SQM	4457	SQM		
3		Finishing walls with Acrylic Smooth exterior paint of required shade :				
		New work (Two or more coat applied @ 1.43 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) (since the old work has completely faded and new painting has to be done as good as new)	4457	SqM		
		<b>ENAMEL PAINTING</b>				
		Area of enamel painting in SQFT	14958	SQFT		
		Area of enamel painting in SQM	1390	SQM		
4		Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel works.	1390	SqM		
5		Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	1390	SqM		

**DR. G. L. DUTTA BLOCK OF DAV PUBLIC SCHOOL, CANTT. AREA, GAYA**

		<b>GROUND FLOOR</b>			
		total ceiling painting area	6160	SQFT	
		total Wall area	9600	SQFT	
		window/doors area	1179	SQFT	
		<b>FIRST FLOOR</b>			
		total ceiling painting area	6160	SQFT	
		total Wall area	13500	SQFT	
		window/doors area	669	SQFT	
		corridor grill area	288	SQFT	
		<b>SECOND FLOOR</b>			
		total ceiling painting area	6160	SQFT	
		total Wall area	13500	SQFT	
		window/doors area	669	SQFT	
		corridor grill area	288	SQFT	
		<b>STAIRCASE</b>			
		Flight bottom	800	SQFT	
		total Wall area	2400	SQFT	
		metal railing	308	SQFT	
		<b>EXPOSED BEAMS IN CEILING</b>			
		exposed beam bottom painting area in class and corridor	14500	SQFT	
		<b>MUMTY AND PARAPET</b>			
		total ceiling painting area	200	SQFT	
		total Wall area	920	SQFT	
		Parapet	3150	SQFT	
		window/doors area	58	SQFT	
		<b>EXTERIOR AND PLINTH</b>			
		total painting area (G+2+PLINTH)	18000	SQFT	
		Projections (columns and chajjas)	9500	SQFT	
		<b>TOTAL WALLAND CEILING AREA TO BE PAINTED</b>	72980	SQFT	
		<b>TOTAL EXTERNAL AREA TO BE PAINTED</b>	31570	SQFT	
		<b>TOTAL AREA TO BE PAINTED WITH ENAMEL</b>	2883	SQFT	
		<b>TOTAL CORRIDOR GRILL PAINTED WITH ENAMEL</b>	576	SQFT	

S.NO	S.O.R	DESCRIPTION	Qty.	Unit.	Rate	Amount
1		Removing white or colour wash by scrapping and sand paper in and preparing the surface smooth including necessary repair scratches etc. complete	9984	SQM		
		<b>INTERIOR PAINTING</b>				
		Area of interior painting in SQFT	70097	SQFT		
		Area of interior painting in SQM	6515	SQM		
2		Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade:				
		two or more coats	6515	Sq M		
		<b>EXTERIOR PAINTING OF BLOCK</b>				
		Area of Exterior painting in SQFT	28687	SQFT		
		Area of Exterior painting in SQM	2666	SQM		
3		paint of required shade :				
		New work (Two or more coat applied @ 1.43 ltr/ 10 sqm	2666	SqM		
		<b>ENAMEL PAINTING</b>				
		Area of enamel painting in SQFT	6918	SQFT		
		Area of enamel painting in SQM	643	SQM		
4		Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel works.	643	SqM		
5		Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	643	SqM		

**PT. GURUDUTTA VIDHYARTHI BLOCK OF DAV PUBLIC SCHOOL, CANTT. AREA, GAYA**

		<b>GROUND FLOOR</b>			
		total ceiling painting area	7005	SQFT	
		total Wall area	15456	SQFT	
		window/doors area	1562	SQFT	
		<b>FIRST FLOOR</b>			
		total ceiling painting area	7193	SQFT	
		total Wall area	15792	SQFT	
		window/doors area	1562	SQFT	
		corridor grill area	352	SQFT	
		<b>SECOND FLOOR</b>			
		total ceiling painting area	7193	SQFT	
		total Wall area	15792	SQFT	
		window/doors area	1562	SQFT	
		corridor grill area	352	SQFT	
		<b>STAIRCASE</b>			
		Flight bottom	738	SQFT	
		total Wall area	2400	SQFT	
		metal railing	308	SQFT	
		<b>EXPOSED BEAMS IN CEILING</b>			
		exposed beam bottom painting area in class and corridor	14775	SQFT	
		<b>MUMTY AND PARAPET</b>			
		total ceiling painting area	246	SQFT	
		total Wall area	520	SQFT	
		Parapet	1795	SQFT	
		window/doors area	52	SQFT	
		<b>EXTERIOR AND PLINTH</b>			
		total ceiling painting area (G+2+PLINTH)	20346	SQFT	
		Projections (columns and chajjas)	9786	SQFT	
		<b>TOTAL WALLAND CEILING AREA TO BE PAINTED</b>	86590	SQFT	
		<b>TOTAL EXTERNAL AREA TO BE PAINTED</b>	32447	SQFT	
		<b>TOTAL AREA TO BE PAINTED WITH ENAMEL</b>	5046	SQFT	
		<b>TOTAL CORRIDOR GRILL PAINTED WITH ENAMEL</b>	704	SQFT	



S.NO	S.O.R	DESCRIPTION	Qty.	Unit.	Rate	Amount
1		Removing white or colour wash by scrapping and sand paper in and preparing the surface smooth including necessary repair scratches etc. complete	11532	SQM		
		<b>INTERIOR PAINTING</b>				
		Area of interior painting in SQFT	81544	SQFT		
		Area of interior painting in SQM	7578	SQM		
2		Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade:				
		two or more coats	7578	Sq M		
		<b>EXTERIOR PAINTING OF BLOCK</b>				
		Area of Exterior painting in SQFT	27401	SQFT		
		Area of Exterior painting in SQM	2547	SQM		
3		Finishing walls with Acrylic Smooth exterior paint of required shade :				
		New work (Two or more coat applied @ 1.43 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) <u>(since the old work has completely faded and new painting has to be done as good as new)</u>	2547	SqM		
		<b>ENAMEL PAINTING</b>				
		Area of enamel painting in SQFT	11500	SQFT		
		Area of enamel painting in SQM	1069	SQM		
4		Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel works.	1069	SqM		
5		Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	1069	SqM		

**MAHATMA ANAND SWAMI BLOCK OF DAV PUBLIC SCHOOL, CANTT. AREA, GAYA**

		<b>GROUND FLOOR</b>			
		total ceiling painting area	5375	SQFT	
		total Wall area	4416	SQFT	
		window/doors area	2425	SQFT	
		<b>FIRST FLOOR</b>			
		total ceiling painting area	5375	SQFT	
		total Wall area	13776	SQFT	
		window/doors area	1388	SQFT	
		<b>SECOND FLOOR</b>			
		total ceiling painting area	5375	SQFT	
		total Wall area	13776	SQFT	
		window/doors area	1388	SQFT	
		<b>STAIRCASE</b>			
		Flight bottom	640	SQFT	
		total Wall area	1920	SQFT	
		metal railing	288	SQFT	
		<b>EXPOSED BEAMS IN CEILING</b>			
		exposed beam bottom painting area in class and corridor	12000	SQFT	
		<b>MUMTY AND PARAPET</b>			
		total ceiling painting area	480	SQFT	
		total Wall area	1104	SQFT	
		Parapet	119	SQFT	
		window/doors area	135	SQFT	
		<b>EXTERIOR AND PLINTH</b>			
		total ceiling painting area (G+2+PLINTH)	15456	SQFT	
		Projections (columns and chajjas)	4872	SQFT	
		<b>TOTAL WALLAND CEILING AREA TO BE PAINTED</b>	63133	SQFT	
		<b>TOTAL EXTERNAL AREA TO BE PAINTED</b>	21551	SQFT	
		<b>TOTAL AREA TO BE PAINTED WITH ENAMEL</b>	5624	SQFT	

S.NO	S.O.R	DESCRIPTION	Qty.	Unit.	Rate	Amount
1		Removing white or colour wash by scrapping and sand paper in and preparing the surface smooth including necessary repair scratches etc. complete	8393	SQM		
		<b>INTERIOR PAINTING</b>				
		Area of interior painting in SQFT	57509	SQFT		
		Area of interior painting in SQM	5345	SQM		
2		Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade:				
		two or more coats	5345	Sq M		
		<b>EXTERIOR PAINTING OF BLOCK</b>				
		Area of Exterior painting in SQFT	15927	SQFT		
		Area of Exterior painting in SQM	1480	SQM		
3		Finishing walls with Acrylic Smooth exterior paint of required shade :				
		New work (Two or more coat applied @ 1.43 ltr/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm) (since the old work has completely faded and new painting has to be done as good as new)	1480	SqM		
		<b>ENAMEL PAINTING</b>				
		Area of enamel painting in SQFT	11248	SQFT		
		Area of enamel painting in SQM	1045	SQM		
4		Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel works.	1045	SqM		
5		Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	1045	SqM		

**BOUNDARY WALL OF DAV PUBLIC SCHOOL, CANTT. AREA, GAYA**

AVERAGE LENGTH OF BOUNDARY		2400	FT			
HEIGHT OF BOUNDARY		10	FT			
TOTAL AREA TO BE PAINTED WITH EXTERIOR PAINT (inclusive of both sides and top)		50400	SQFT			
AVERAGE AREA OF GATETO BE PAINTED WITH ENAMEL PAINT		500	SQFT			
S.NO	S.O.R	DESCRIPTION	Qty.	Unit.	Rate	Amount
		<b>EXTERIOR PAINTING OF BLOCK</b>				
		Area of Exterior painting in SQFT	50400	SQFT		
		Area of Exterior painting in SQM	4684	SQM		
1		paint of required shade :				
		New work (Two or more coat applied @ 1.43 ltr/ 10 sqm	4684	SqM		
		<b>ENAMEL PAINTING</b>				
		Area of enamel painting in SQFT	500	SQFT		
		Area of enamel painting in SQM	46	SQM		
2		Applying priming coat with ready mixed zinc chromate yellow primer of approved brand and manufacture on steel galvanized iron/steel works.	46	SqM		
3		Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	46	SqM		

**The following proforma of the Check - list need to be filled by the Tenderer Mandatorily.**

1. Name & Complete Address of Firm/Company:

											Pin Code:						
Telephone No. / Mobile No.:																	
Email Id:																	
2. Name of Proprietor/Manager/Contact Person with Contact No.:																	

- 3. Registration No. & Date .....
- 4. Certificate from Govt. Dept.: (Yes / No) .....  
 Issuing Authority .....
- 5. GST Registration No.: .....
- 6. Proof of last GST return (Yes / No) .....
- 7. PAN Card No. ....
- 8. Proof of 3 years' work experience with Govt. Dept./PSU's having similar kind of jobs (Yes / No) .....  
 .....
- 9. Declaration for not blacklisted by the Govt. Dept./PSU etc.: (Yes / No) .....
- 10. Rate of Painting including GST attached: (Yes / No) .....
- 11. Rate of Painting excluding GST attached: (Yes / No) .....

I/We certify that the information furnished above is true and correct. In case, any of such information/documents furnished by me/us are found to be fictitious, it would be deemed to be a breach of T&C and liable for legal action.

Dated: .....

Name with Designation of Authorised Signatory & Seal of the Firm